

1984-2016

SFS PEER-REVIEWED PUBLICATIONS

This is a living document. Not only will it grow as our students, faculty, and staff make discoveries and pursue new research, but it also represents the conviction that the natural world deserves our attention.



THE SCHOOL
FOR FIELD STUDIES



SFS RESEARCH

It has always been our mission to prepare the next generation of environmental leaders.

These pages are testimony that SFS research and the skills we teach are valued not only by our host communities, but by the global scientific community. By publishing their findings, SFS students, faculty, and staff support a growing body of knowledge that seeks to conserve some of the world's most beautiful and rare ecosystems.

PUBLICATION PROGRAM LOCATION KEY

Arévalo, J. E., & Ladle, R. J. (2016). Challenges to Forest Conservation. In S. Molina & C. Rojas (Eds.), *The Paradigm of Forests and the Survival of the Fittest* (pp. 172-195): CRC Press. **CSDS**

CAS – SFS Center for Andes-Amazon Studies | Sacred Valley, Peru | Est 2013

CHS – SFS Center for Himalayan Studies | Jakar, Bhutan | Est 2010

CMRS – SFS Center for Marine Resource Studies | Cockburn Harbour, Turks & Caicos Islands | Est 1989

CMS – SFS Center for Mekong Studies | Siem Reap, Cambodia | Est 2013

CRS – SFS Center for Rainforest Studies | Atherton Tablelands, Australia | Est 1986

CSDS – SFS Center for Sustainable Development Studies | Atenas, Costa Rica | Est 1991

CWMS – SFS Center for Wildlife Management Studies | Rhotia, Tanzania | Est 2008*

TIBS – SFS Center for Tropical Island Biodiversity Studies | Bocas del Toro, Panama | Est 2012

Historic – This denotes research conducted at an SFS program location that is no longer active.

**From 1983-2008, SFS operated its Wildlife Management Studies program in Kenya. In 2008, this program was expanded to include Tanzania with students spending half of the semester in Kenya and half in Tanzania. SFS suspended Kenya operations in 2014 due to the political conflict and safety concerns it posed for our students and staff. Publications from our Kenya program will be listed as, "Historic-Kenya".*

PUBLICATION AUTHOR IDENTIFICATION KEY

BOLD – SFS Faculty

***** – SFS Student

^ – SFS Student Affairs Manager (SAM) or Intern

- Arévalo, J. E.,** & Ladle, R. J. (2016). Challenges to Forest Conservation. In S. Molina & C. Rojas (Eds.), *The Paradigm of Forests and the Survival of the Fittest* (pp. 172-195): CRC Press. **CSDS**
- Avalos, G.** (2016). How do forests work? Primary production, energy and forest growth. In S. Molina & C. Rojas (Eds.), *The Paradigm of Forests and the Survival of the Fittest* (pp. 17-38). Florida, USA: CRC Press. **CSDS**
- Eggers-Piérola, C., August, B., **Scott, C. P.**, Brown, P., & Lansiquot, R. D. (2016). Promoting an Interdisciplinary Campus Culture Technology, Theory, and Practice in Interdisciplinary STEM Programs: Connecting STEM and Non-STEM Approaches (pp. 107-124): Palgrave Macmillan US. **TIBS**
- Goldstein, G., Santiago, L. S., Campanello, P. I., **Avalos, G.**, Zhang, Y.-J., & Villagra, M. (2016). Facing Shortage or Excessive Light: How Tropical and Subtropical Trees Adjust Their Photosynthetic Behavior and Life History Traits to a Dynamic Forest Environment. In G. Goldstein & L. S. Santiago (Eds.), *Tropical Tree Physiology: Adaptations and Responses in a Changing Environment* (pp. 319-336): Springer International. **CSDS**
- Häger, A.**, & Schwendenmann, L. (2016). Forest Carbon Sequestration and Global Change. In S. Molina & C. Rojas (Eds.), *The Paradigm of Forests and the Survival of the Fittest* (pp. 39-86). Florida, USA. **CSDS**
- Henderson, A.**, Jourdan*, A., & Bell*, K. (2016). Assessing the incidental value of a marine reserve to a lemon shark *Negaprion brevirostris* nursery. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 26(3), 482-491. **CMRS**
- Kiffner, C.**, Hopper*, R., & **Kioko, J.** (2016). Trends in seasonal population densities of wildlife species in Tarangire National Park, Tanzania. *African Journal of Ecology*, 54(3), 383-388. **CWMS-TZ**
- Kiffner, C.**, Nagar*, S., Kollmar*, C., & **Kioko, J.** (2016). Wildlife species richness and densities in wildlife corridors of Northern Tanzania. *Journal for Nature Conservation*, 31, 29-37. **CWMS-TZ**
- Koziarski*, A., **Kissui, B.**, & **Kiffner, C.** (2016). Patterns and correlates of perceived conflict between humans and large carnivores in Northern Tanzania. *Biological Conservation*, 199, 41-50. **CWMS-TZ**
- MacLean, M. G.**, **Hertler, H.**, & **Seifert, M.** (2016). Undergraduate Research at the School for Field Studies' (SFS) Center for Marine Resource Studies in the Turks & Caicos Islands. *CUR Quarterly*, 36(3), 21-27. **HQ, CMRS**
- Warwick*, B. T., Bak*, E., Baldassare*, J., Gregg*, E., Martinez*, R., **Kioko, J.**, Saning'o, K., & **Kiffner, C.** (2016). Abundance estimations of ixodid ticks on Boran cattle and Somali sheep in Northern Tanzania. *International Journal of Acarology*, 42(1), 12-17. **CWMS-TZ**
- Arévalo, J. E.**, Méndez, Y., Roberts, M., Alvarado, G., & Vargas, S. (2015). Monitoring species of mammals using track collection by rangers in the Tilarán mountain range, Costa Rica. *Cuadernos de Investigación UNED*, 7(2), 249-257. **CSDS**
- Avalos, G.** (2015). Highest elevational record of the Long-billed Hummingbird (*Phaethornis longirostris* Delattre, 1843, Aves: Trochilidae) in Costa Rica. *Brenesia*, 83-84, 89-90. **CSDS**
- Baker, S., Paddock, J., Smith, A. M., Unsworth, R. K. F., Cullen-Unsworth, L. C., & **Hertler, H.** (2015). An ecosystems perspective for food security in the Caribbean: Seagrass meadows in the Turks and Caicos Islands. *Ecosystem Services*, 11, 12-21. **CMRS**
- Freeman, A. N. D.**, Catterall, C. P., & Freebody, K. (2015). Use of restored habitat by rainforest birds is limited by spatial context and species' functional traits but not by their predicted climate sensitivity. *Biological Conservation*, 186, 107-114. **CRS**
- Häger, A.**, **Otárola, M. F.**, Stuhlmacher*, M. F., Castillo, R. A., & Arias, A. C. (2015). Effects of management and landscape composition on the diversity and structure of tree species assemblages in coffee agroforests. *Agriculture, Ecosystems and Environment*, 199, 43-51. **CSDS**

- Hind, E. J.**, Alexander, S. M., Green, S. J., Kritzer, J. P., Sweet, M. J., Johnson*, A. E., Amargós, F. P., Smith, N. S., & Peterson, A. M. (2015). Fostering effective international collaboration for marine science in small island states. *Frontiers in Marine Science*, 2(86), 1-7. **CMRS**
- Jabado, R. W., Ghais, S. M. A., Hamza, W., **Henderson, A. C.**, Spaet, J. L. Y., & Shivji, M. S. (2015). The trade in sharks and their products in the United Arab Emirates. *Biological Conservation*, 181, 190-198. **CMRS**
- Kiffner, C.**, Albertini[^], M., Ede*, A., Donnellan*, B., Hahn*, N., McGinnis*, M. A., Nietlisbach*, N., Tate*, J., & **Kioko, J. M.** (2015). Performance of individual species as indicators for large mammal species richness in Northern Tanzania. *Ecological Indicators*, 53, 70-77. **CWMS-TZ**
- Kiffner, C.**, Peters*, L., Stroming*, A., & **Kioko, J.** (2015). Bushmeat Consumption in the Tarangire-Manyara Ecosystem, Tanzania. *Tropical Conservation Science*, 8(2), 318-332. **CWMS-TZ**
- Kiffner, C.**, Wenner*, C., LaViolet*, A., Yeh*, K., & **Kioko, J. M.** (2015). From savannah to farmland: effects of land-use on mammal species richness in the Tarangire-Manyara Ecosystem. *African Journal of Ecology*, 53(2), 156-166. **CWMS**
- Kioko, J. M.**, Herbert*, V., Mwetta, D., Kilango, Y., Murphy-Williams*, M., & **Kiffner, C.** (2015). Environmental Correlates of African Elephant (*Loxodonta africana*) Distribution in Manyara Area, Tanzania. *Annual Research & Review in Biology*, 5(2), 147-154. **CWMS-TZ**
- Kioko, J.**, Baker*, J., Shannon*, A., & **Kiffner, C.** (2015). Ethnoecological knowledge of ticks and treatment of tick-borne diseases among Maasai people in Northern Tanzania. *Veterinary World*, 8(6), 755-762. **CWMS-TZ**
- Kioko, J.**, **Kiffner, C.**, Jenkins*, N., & Collinson, W. J. (2015). Wildlife roadkill patterns on a major highway in northern Tanzania. *African Zoology*, 50(1), 17-22. **CWMS-TZ**
- Kioko, J.**, **Kiffner, C.**, NdBalema, V., Hartnett*, E., & Seefel*, C. (2015). *Maasai* people and elephants: values and perceptions. *Indian Journal of Traditional Knowledge*, 14(1), 13-19. **CWMS-TZ**
- Kioko, J.**, **Kiffner, C.**, Phillips*, P., Patterson-Abrolat, C., Collinson, W., & Katers, S. (2015). Driver knowledge and attitudes on animal vehicle collisions in Northern Tanzania. *Tropical Conservation Science*, 8(2), 352-366. **CWMS-TZ**
- Kithiia, J.** (2015). Resourceless victims or resourceful collectives: Addressing the impacts of climate change through social capital in fringing coastal communities. *Ocean & Coastal Management*, 106, 110-117. **CRS**
- MacLean, M. G.**, & Congalton, R. G. (2015). A comparison of landscape fragmentation analysis programs for identifying possible invasive plant species locations in forest edge. *Landscape Ecology*. **HQ**
- Maina, J., **Kithiia, J.**, Cinner, J., Neale, E., Noble, S., Charles, D., & Watson, J. E. M. (2015). Integrating social–ecological vulnerability assessments with climate forecasts to improve local climate adaptation planning for coral reef fisheries in Papua New Guinea. *Regional Environmental Change*. **CRS**
- Mwasi, S. M.**, & Acker*, K. (2015). Assessment of habitat condition in Kilitome and Nailepo wildlife sanctuaries in south-western Kenya. *African Journal of Ecology*, 53(4), 595-598. **Historic-Kenya**
- Okello, M. M.**, Kenana, L., Maliti, H., **Kiringe, J. W.**, Kanga, E., & Warinwa, F. (2015). Population Status and Trend of the Maasai Giraffe in the Mid Kenya-Tanzania Borderland. *Natural Resources*, 6, 159-173. **Historic-Kenya**
- Preece, N. D., Lawes, M. J., Rossman, A. K., **Curran, T. J.**, & Oosterzee, P. v. (2015). Modelling the growth of young rainforest trees for biomass estimates and carbon sequestration accounting. *Forest Ecology and Management*, 351, 57-66. **CRS**
- Tilley, A.**, Carter*, E., Wassermann[^], S., & López-Angarita, J. (2015). Enhancing management effectiveness of invasive lionfish using distance sampling and detection probability. *Aquatic Conservation: Marine and Freshwater Ecosystems*. **CMRS**

- Waugh, S. M., Barbraud, C., Adams, L., **Freeman, A. N. D.**, Wilson, K.-J., & Wood, G. (2015). Modeling the demography and population dynamics of a subtropical seabird, and the influence of environmental factors. *The Condor*, *117*(2), 147-164. **CRS**
- Arévalo, J. E.**, & **Fernández-Otárola, M.** (2014). Depredación de la Paloma Piquirroja (*Patagioenas flavirostris*) por el Gavilán Bicolor (*Accipiter bicolor*): observaciones sobre el modo de consumo y vigilancia. *Zeledonia*, *18*(2), 51-54. **CSDS**
- Avalos, G.**, & Mulkey, S. S. (2014). Photosynthetic and morphological acclimation of seedlings of tropical lianas to changes in the light environment. *American Journal of Botany*, *101*(12), 2088-2096. **CSDS**
- Elgar, A. T., Freebody, C., **Pohlman, C. L.**, Shoo, L. P., & Catterall, C. P. (2014). Overcoming barriers to seedling regeneration during forest restoration on tropical pasture land and the potential value of woody weeds. *Frontiers in Plant Science* *5*(200). **CRS**
- Fernández-Otárola, M.**, & **Avalos, G.** (2014). Demographic variation across successional stages and their effects on the population dynamics of the neotropical palm *Euterpe precatoria*. *American Journal of Botany*, *101*(6), 1023-1028. **CSDS**
- Heise-Pavlov, S. R.**, Paleologo*, K., & Glenny*, W. (2014). Effect of *Rhabdias pseudosphaerocephala* on prey consumption of free-ranging cane toads (*Rhinella marina*) during Australian tropical wet seasons. *Journal of Pest Science*, *87*(1), 89-97. **CRS**
- Heise-Pavlov, S.**, Anderson, C., & Moshier*, A. (2014). Studying food preferences in captive cryptic folivores can assist in conservation planning: the case of the Lumholtz's tree-kangaroo (*Dendrolagus lumholtzi*). *Australian Mammal Society*, *36*(2), 12. **CRS**
- Jabado, R. W., Ghais, S. M. A., Hamza, W., & **Henderson, A. C.** (2014). The shark fishery in the United Arab Emirates: an interview based approach to assess the status of sharks. *Aquatic Conservation: Marine and Freshwater Ecosystems*. **CMRS**
- Jabado, R. W., Ghais, S. M. A., Hamza, W., Shivji, M. S., & **Henderson, A. C.** (2014). Shark diversity in the Arabian/Persian Gulf higher than previously thought: insights based on species composition of shark landings in the United Arab Emirates. *Marine Biodiversity*. **CMRS**
- Jackson, A. M., Semmens, B. X., Mitcheson, Y. S. d., Nemeth, R. S., Heppell, S. A., Bush, P. G., Aguilar-Perera, A., **Claydon, J. A. B.**, Calosso^, M. C., Sealey, K. S., Schärer, M. T., & Bernardi, G. (2014). Population Structure and Phylogeography in Nassau Grouper (*Epinephelus striatus*), a Mass-Aggregating Marine Fish. *PLoS ONE*, *9*(5). **CMRS**
- Kiffner, C.**, **Kioko, J. M.**, **Kissui, B.**, Painter*, C., Serota*, M., White*, C., & Yager*, P. (2014). Interspecific variation in large mammal responses to human observers along a conservation gradient with variable hunting pressure. *Animal Conservation*, *17*(6), 603-612. **CWMS-TZ**
- Kiffner, C.**, **Kioko, J. M.**, Leweri, C., & Krause, S. (2014). Seasonal Patterns of Mixed Species Groups in Large East African Mammals. *Plos One*, *9*(12), 22. **CWMS-TZ**
- Mponzi, B. P., Lepczyk, C. A., & **Kissui, B. M.** (2014). Characteristics and distribution of livestock losses caused by wild carnivores in Maasai Steppe of northern Tanzania. *Human–Wildlife Interactions*, *8*(2), 218-227. **CWMS-TZ**
- Okello, M. M.**, & Novelli, M. (2014). Tourism in the East African Community (EAC): Challenges, opportunities, and ways forward. *Tourism and Hospitality Research*, *14*(1-2), 53-66. **Historic-Kenya**
- Okello, M. M.**, **Kiringe, J. W.**, & Tome, S. (2014). Water quantity and quality dimensions in public and environmental health among the Maasai of Amboseli area, Kenya. *Environment and Natural Resources Research*, *4*(3), 227-244. **Historic-Kenya**
- Rojas, C.**, & Doss, R. G. (2014). Does habitat loss affect tropical myxomycetes? *Mycosphere*, *5*(5), 692-700. **CSDS**

- Sánchez, N. V., Vargas-Castro, L. E., **Avalos, G.**, & Paniagua, F. (2014). Effect of prey availability on the abundance of White-breasted Wood-Wrens, insectivorous birds of tropical lowland forests. *Journal of Field Ornithology*, 85(4), 347-354. **CSDS**
- Schneller, A. J.**, & Irizarry*, A. (2014). Imaging conservation: Sea turtle murals and their effect on community pro-environmental attitudes in Baja California Sur, Mexico. *Ocean and Coastal Management*, 89, 1-12. **Historic-Mexico**
- Sears, R.**, & Yoder, L. S. M. (2014). Fostering Students' Commitment to Service Through International Field Research. *CUR Quarterly*, 35(2), 20-27. **HQ**
- Shoo, L. P., **Wilson, R.**, Williams, Y. M., & Catterall, C. P. (2014). Putting it back: Woody debris in young restoration plantings to stimulate return of reptiles. *Ecological Management & Restoration*, 15(1), 84-87. **CRS**
- Tassell, J. L. V., & **Kramer, A.** (2014). A new species of *Didogobius* (Teleostei: Gobiidae) from the Canary Islands. *Zootaxa*, 3793(4), 453-464. **CMRS**
- Arévalo, J. E.**, & Araya Salas, M. (2013). Collared forest-falcon (*Micrastur semitorquatus*) preying on chestnut-mandibled toucan (*Ramphastos swainsonii*) in Costa Rica. *The Wilson Journal of Ornithology*, 125(1), 212-216. **CSDS**
- Avalos, G.**, **Fernández Otárola, M.**, & Engeln, J. T. (2013). Successional stage, fragmentation and exposure to extraction influence the population structure of *Euterpe precatoria* (Arecaceae). *Revista de Biología Tropical*, 61(3), 1415-1424. **CSDS**
- Celis, G., & **Avalos, G.** (2013). Acclimation of seedlings of *Gnetum leyboldii* Tul. (Gnetaceae) to light changes in a tropical rain forest. *Revista de Biología Tropical*, 61(4), 1859-1868. **CSDS**
- Dohn*, J., Berry^, Z. C., & **Curran, T. J.** (2013). A pilot project testing the effectiveness of three weed control methods on the removal of *Lantana camara* in Forty Mile Scrub National Park, Queensland, Australia. *Ecological Management & Restoration*, 14(1), 74-77. **CRS**
- Fill^, J. M., Freeman^, A. B., Story, G., & **Curran, T. J.** (2013). Predation on a cryptic rainforest rodent (*Pogonomys* sp.) by a carpet python (*Morelia spilota*). *Australian Mammalogy*, 35(2), 224-226. **CRS**
- Henderson, A. C.**, & Nash*, M. (2013). Confirmation of recent hawksbill turtle *Eretmochelys imbricata* nesting activity on South Caicos, Turks and Caicos Islands. *Marine Biodiversity Records*, 6(e97). **CMRS**
- Holt, B. G.**, **Rioja-Nieto, R.**, MacNeil, M. A., Lupton^, J., & Rahbek, C. (2013). Comparing diversity data collected using a protocol designed for volunteers with results from a professional alternative. *Methods in Ecology and Evolution*, 4, 383-392. **CMRS**
- Howe*, M., **Okello, M. M.**, & Davis, J. M. (2013). Interspecific variation in the distribution of ungulates relative to human infrastructure surrounding Amboseli National Park. *African Zoology*, 48(1), 159-166. **Historic-Kenya**
- Jabado, R. W., Ghais, S. M. A., Hamza, W., **Henderson, A. C.**, & Ahmad, M. A. (2013). First record of the sand tiger shark, *Carcharias taurus*, from United Arab Emirates waters. *Marine Biodiversity Records*, 6(27). **CMRS**
- Kiffner, C.**, **Ndibalema, V.**, & **Kioko, J. M.** (2013). Leopard (*Panthera pardus*) aggregation and interactions with Olive baboons (*Papio anubis*) in Serengeti National Park, Tanzania. *African Journal of Ecology*, 51(1), 168-171. **CWMS-TZ**
- Kioko, J. M.**, Zink*, E., Sawdy*, M., & **Kiffner, C.** (2013). Elephant (*Loxodonta africana*) demography and behavior in the Tarangire-Manyara Ecosystem, Tanzania. *South African Journal of Wildlife Research*, 43(1), 44-51. **CWMS-TZ**
- Molina-Murillo, S. A.** (2013). Urban population knowledge of climate change in Costa Rica and Nicaragua. *Latin American Journal of Economic Development*, 19, 55-75. **CSDS**

- Robinson, D., Jaidah, M., Jabado, R., Lee-Brooks, K., Eldin, N., Malki, A., Elmeer, K., McCormick, P., **Henderson, A.**, Pierce, S., & Ormond, R. (2013). Whale Sharks, *Rhincodon typus*, Aggregate around Offshore Platforms in Qatari Waters of the Arabian Gulf to Feed on Fish Spawn. *PLoS ONE*, 8(2). **CMRS**
- Sears, R. R.** (2013). Unalienated Recognition at the Core of Meaningful Exchange Between School and Community. A Response to "Unalienated Recognition as a Feature of Democratic Schooling". *Democracy and Education*, 21(2), Article 9. **HQ**
- Seas-Carvajal, C., & **Avalos, G.** (2013). Distribution of bioluminescent fungi across old-growth and secondary tropical rain forest in Costa Rica. *Revista de Biología Tropical* 61(2), 531-537. **CSDS**
- Stringell, T., Calosso[^], M., **Claydon, J.**, Clerveaux, W., Godley, B., **Lockhart, K.**, Phillips, Q., Ranger, S., Richardson, P., Sanghera, A., & Broderick, A. (2013). Marine turtle harvest in a mixed small-scale fishery: Evidence for revised management measures. *Ocean & Coastal Management*, 82, 34-42. **CMRS**
- Sylvester, O., & **Avalos, G.** (2013). Influence of light conditions on the allometry and growth of the understory palm *Geonoma undata* subsp. *edulis* (Arecaceae) of neotropical cloud forests. *American Journal of Botany*, 100(12), 2357-2363. **CSDS**
- Tewfik, A.**, & Scheuer*, B. (2013). Ecology of the King Helmet, *Cassia tuberosa* (L.), in South Caicos. *Caribbean Naturalist*, 2, 1-10. **CMRS**
- Avalos, G.**, Soto, A., & Alfaro, W. (2012). Effect of artificial feeders on pollen loads of the hummingbirds of Cerro de La Muerte, Costa Rica. *Revista de Biología Tropical*, 60(1), 65-73. **CSDS**
- Bennington, C. C., **Fetcher, N.**, Vavrek, M. C., Shaver, G. R., Cummings, K. J., & McGraw, J. B. (2012). Home site advantage in two long-lived arctic plant species: results from two 30-year reciprocal transplant studies. *Journal of Ecology*, 100(4). **Historic-Alaska**
- Claydon, J. A. B.**, Calosso, M. C., & Traiger, S. B. (2012). Progression of invasive lionfish in seagrass, mangrove and reef habitats. *Marine Ecology Progress Series*, 448, 119-129. **CMRS**
- Claydon, J. A. B.**, McCormick, M. I., & Jones, G. P. (2012). Patterns of migration between feeding and spawning sites in a coral reef surgeonfish. *Coral Reefs*, 31(1), 77-87. **CMRS**
- Fill[^], J. M., McBride*, P., Powell*, A. J., Shanahan*, L. K., Stark*, J. R., Freeman[^], A. B., & **Curran, T. J.** (2012). Diet of Amethystine (*Morelia kinghorni*) and Carpet Pythons (*Morelia spilota*) in North Queensland, Australia. *Herpetological Review*, 43(1), 30-34. **CRS**
- Glass*, A., Prestridge*, C., Gharat* , Y., **Ndibalema, V.**, & **Kioko, J. M.** (2012). Notes on birds of Seronera Area, in Serengeti National Park, Tanzania. *Tanzanian Journal of Forest and Nature Conservation*, 82, 107-116. **CWMS-TZ**
- Häger, A.** (2012). The effects of management and plant diversity on carbon storage in coffee agroforestry systems in Costa Rica. *Agroforestry Systems*, 86(2), 159-174. **CSDS**
- Heise-Pavlov, S. R.**, & Meade*, R. D. (2012). Improving reliability of scat counts for abundance and distribution estimations of Lumholtz's Tree-kangaroo (*Dendrolagus lumholtzi*) in its rainforest habitats. *Pacific Conservation Biology*, 18(153-163). **CRS**
- Kioko, J. M.**, **Kiringe, J. W.**, & **Seno, S. O.** (2012). Impacts of livestock grazing on a savanna grassland in Kenya. *Journal of Arid Land*, 4(1), 29-35. **CWMS-TZ**
- Mwamidi, D. M., **Mwasi, S. M.**, & Nunow, A. A. (2012). The use of indigenous knowledge in minimizing human-wildlife conflict: the case of Taita community, Kenya. *International Journal of Current Research*, 4(2), 26-30. **Historic-Kenya**
- Nájera-Hillman, E.**, Bass*, J. B., & Buckham*, S. (2012). Distribution patterns of the barnacle, *Chelonibia testudinaria*, on juvenile green turtles (*Chelonia mydas*) in Bahia Magdalena, Mexico. *Revista Mexicana de Biodiversidad*, 83, 1171-1179. **Historic-Mexico**

- Okello, M. M.** (2012). The contraction of wildlife dispersal areas by human structures and activities in Mbirikani Group Ranch in the Amboseli Ecosystem, Kenya. *International Journal of Biodiversity and Conservation* 4(6), 243-259. **Historic-Kenya**
- Okello, M. M.**, Kenana, L., & Kieti, D. (2012). Factors influencing domestic tourism for urban and semiurban populations around Nairobi National Park, Kenya. *Tourism Analysis*, 17(1), 79-89. **Historic-Kenya**
- Sánchez-Quirós, C., **Arévalo, J. E.**, & Barrantes, G. (2012). Static allometry and sexual dimorphism under the effect of natural and sexual selection in *Centruroides margaritatus* (Scorpiones, Buthidae). *Journal of Arachnology*, 40, 338-344. **CSDS**
- Sylvester, O., **Avalos, G.**, & Fernández, N. C. (2012). Notes on the Ethnobotany of Costa Rican Palms. *Palms*, 56(4), 190-201. **CSDS**
- Vizek*, A. L., Brusich*, M., **Arévalo, J. E.**, & Mora-Pineda, G. (2012). The shift in altitudinal range of *Azteca* (Hymenoptera: formicidae) ants inhabiting *Cecropia* (Urticaceae) trees in Monteverde, Costa Rica. *Brenesia*, 78, 93-95. **CSDS**
- Arévalo, J. E.**, & Newhard^, K. (2011). Traffic noise affects forest bird species in a protected tropical forest. *International Journal of Tropical Biology*, 59(2), 969-980. **CSDS**
- Avalos, G.**, & Schneider, R. A. (2011). Quantification of ramet production in the neotropical palm *Euterpe precatoria* (Arecaceae) in Costa Rica. *Ecotropica*, 17, 31-38. **CSDS**
- Ayala-Bocos, A., Reyes-Bonilla, H., Herrero-Pérezrul, M. D., Walther-Mendoza, M., & **Lara, V. C.-F. D.** (2011). New records and range extensions of *Astrodictyum panamense* (Ophiuroidea: Gorgonocephalidae) in the eastern Pacific Ocean. *Marine Biodiversity Records*, 4, 3. **Historic-Mexico**
- Berry^, Z. C., Wevill*, K., & **Curran, T. J.** (2011). The invasive weed *Lantana camara* increases fire risk in dry rainforest by altering fuel beds. *Weed Research*, 51(5), 525-533. **CRS**
- Deines^, J. M., Hellmann, J. J., & **Curran, T. J.** (2011). Traits associated with drought survival in three Australian tropical rainforest seedlings. *Australian Journal of Botany*, 59, 620-628. **CRS**
- Häger, A.**, & Dohrenbusch, A. (2011). Hydrometeorology and structure of tropical montane cloud forests in north-western Costa Rica under contrasting biophysical conditions. *Hydrological Processes*, 25, 392-401. **CSDS**
- Heise-Pavlov, S. R.**, & Longway*, L. J. (2011). Diet and dietary selectivity of Cane Toads (*Rhinella marina*) in restoration sites: a case study in Far North Queensland, Australia. *Ecological Management & Restoration*, 12(3), 230-233. **CRS**
- Heise-Pavlov, S. R.**, Jackrel*, S. L., & Meeks*, S. (2011). Conservation of a rare arboreal mammal: habitat preferences of the Lumholtz's tree-kangaroo, *Dendrolagus lumholtzi*. *Australian Mammalogy*, 33, 5-15. **CRS**
- Kioko, J. M.**, & **Seno, S. O.** (2011). Elephant corridor use and threats in the eastern range of Amboseli elephants, Kenya. *Pachyderm*, 49(1), 70-78. **Historic-Kenya**
- Laurance, W. F.**, Useche, D. C., Shoo, L. P., Herzog, S. K., Michael Kessle, Escobar, F., . . . Thomas, C. D. (2011). Global warming, elevational ranges and the vulnerability of tropical biota. *Biological Conservation*, 144(1), 548-557. **CRS**
- Okello, M. M.**, & **Kioko, J. M.** (2011). A field study in the status and threats of cultivation in Kimana and Ilchalai swamps in Amboseli dispersal area, Kenya. *Natural Resources*, 2(4), 197-211. **Historic-Kenya**
- Schneller, A. J.**, Irizarry*, A., & Peckham, S. H. (2011). Sea turtle murals inspire conservation. *SWOT (The State of the World's Sea Turtles)*, VI, 14-15. **Historic-Mexico**
- Senko*, J., **Schneller, A. J.**, Solis, J., **Olleverides, F.**, & Nichols, W. J. (2011). People helping turtles, turtles helping people: understanding resident attitudes towards sea turtle conservation and

- opportunities for enhanced community participation in Bahia Magdalena, Mexico. *Ocean and Coastal Management*, 54, 148-157. **Historic-Mexico**
- Vargas, L. E., Sánchez, N., & Avalos, G. (2011). Forest structure and territory size relationship in the neotropical understory insectivore *Henicorhina leucosticta*. *Journal of Tropical Ecology*, 27, 65-72. **CSDS**
- Zuidema*, C., Plate, R., & Dikou, A. (2011). To preserve or to develop? East Bay dredging project, South Caicos, Turks and Caicos Islands. *Journal of Coastal Conservation*, 15(4), 555-563. **CMRS**
- Arévalo, J. E. (2010). Evaluación de las aves silvestres mantenidas en cautiverio en comunidades cercanas al Volcán Póas, Costa Rica. *Zeledonia*, 14(2), 1-11. **CSDS**
- Avalos, G., & Fernández Otárola, M. (2010). Allometry and stilt root structure of the neotropical palm *Euterpe precatoria* (Arecaceae) across sites and successional stages. *American Journal of Botany*, 97(3), 388-394. **CSDS**
- Avalos, G., & Sylvester, O. (2010). Allometric estimation of total leaf area in the neotropical palm *Euterpe oleracea* at La Selva, Costa Rica. *Trees*, 24(5), 969-974. **CSDS**
- Castañeda-Fernández de Lara, V., Reyes-Bonilla, H., & Serviere-Zaragoza, E. (2010). A tropical assemblage of benthic macroalgae on rocky reefs in a temperate zone on the western Baja California peninsula, Mexico. *Botanica Marina*, 53(3), 195-203. **Historic-Mexico**
- Curran, T. J., Reid^, E. M., & Skorik*, C. (2010). Effects of a severe frost on riparian rainforest restoration in the Australian wet tropics: species foliage retention and the role of plant height and forest shelter. *Restoration Ecology*, 18(4), 408-413. **CRS**
- Häger, A. (2010). The effect of climate and soil conditions on tree species turnover in a Tropical Montane Cloud Forest in Costa Rica. *International Journal of Tropical Biology*, 58(4), 1489-1506. **CSDS**
- Häger, A., & Dohrenbusch, A. (2010). Structure and dynamics of tropical montane cloud forests under contrasting biophysical conditions in north-western Costa Rica. In L. A. Bruijnzeel, F. N. Scatena & L. S. Hamilton (Eds.), *Tropical Montane Cloud Forests: Science for Conservation and Management* (pp. 208-216). Cambridge: Cambridge University Press. **CSDS**
- Henderson, A. C., McClellan, K., & Calosso, M. (2010). Preliminary assessment of a possible lemon shark nursery in the Turks & Caicos Islands, British West Indies. *Caribbean Journal of Science*, 46(1), 29-38. **CMRS**
- Hillman, N., & Conner, L. (2010). Photo-identification of gray whales in Bahia Magdalena, Baja California Sur: The use of a student-base photographic archive. *Revista De Zoología*, 21, 15-22. **CRS**
- Kioko, J. M., & Okello, M. M. (2010). Land use cover and environmental changes in a semi-arid rangeland, Southern Kenya. *Journal of Geography and Regional Planning*, 3(11), 322-326. **Historic-Kenya**
- Kioko, J. M., Kiringe, J. W., & Wahungu, G. (2010). Youth's knowledge, attitudes and practices in wildlife and environmental conservation in Maasailand, Kenya. *Southern African Journal of Environmental Education*, 27, 91-101. **Historic-Kenya**
- Lopez-Calderon, J., Riosmena-Rodriguez, R., Rodriguez-Baron, J. M., Carrion-Cortez, J., Torre-Cosio, J., Meling-Lopez, A., Hinojosa-Arango, G., Hernandez-Carmona, G., & Garcia-Hernandez, J. (2010). Outstanding appearance of *Ruppia maritima* along Baja California Sur, Mexico and its influence in trophic networks. *Marine Biodiversity*. **Historic-Mexico**
- Nájera Hillman, E., & Conner*, L. (2010). Photo-identification of gray whales in Bahia Magdalena, Baja California Sur: The use of a student-base photographic archive. *Revista de Zoología México Biología*, 21, 15-22. **Historic-Mexico**
- Okello, M. M., & Kioko, J. M. (2010). Contraction of wildlife dispersal area in Olgulului-Ololorashi Group Ranch around Amboseli National Park, Kenya. *The Open Conservation Biology Journal*, 4(1), 28-39. **Historic-Kenya**

- Okello, M. M.**, Buthmann[^], E., Mapinu, B., & Kahi, H. C. (2010). Community opinions on wildlife, resource use and livelihood competition in Kimana Group Ranch near Amboseli, Kenya. *The Open Conservation Biology Journal*, 4, 34-45. **Historic-Kenya**
- Okello, M. M.**, Kiringe, J. W., & Kioko, J. M. (2010a). Degradation of rangelands: causes, ecological, wildlife conservation and socio-economic implications. In A. O'Reilly & D. Murphy (Eds.), *Horizons in Earth Science Research* (pp. 1-76). New York: Nova Publishers. **Historic-Kenya**
- Okello, M. M.**, Kiringe, J. W., & Kioko, J. M. (2010b). The dilemma of balancing conservation and strong tourism interests in a small national park: the case of Amboseli, Kenya. In A. O'Reilly & D. Murphy (Eds.), *National Parks: Biodiversity, conservation and tourism* (pp. 117-130). New York: Nova Publishers. **Historic-Kenya**
- Richardson, P. B., Calosso[^], M. C., **Claydon, J.**, Clerveaux, W., Godley, B. J., Phillips, Q., Ranger, S., Sanghera, A., Stringell, T., & Broderick, A. C. (2010). Suzie the green turtle: 6,000 kilometers for one clutch of eggs? *Marine Turtle Newsletter*, 127, 26-27. **CMRS**
- Rodríguez-Salinas, P., Riosmena-Rodríguez, R., **Hinojosa-Arango, G.**, & Muñiz-Salazar, R. (2010). Restoration experiment of *Zostera marina* L. in a subtropical coastal lagoon. *Ecological Engineering*, 36(1), 12-18. **Historic-Mexico**
- Schneller, A. J.**, & Baum, P. A. (2010). The emergence of associational life in Mexico's wild west: pioneering civic participation, sea turtle conservation, and environmental awareness in Baja California Sur. *Voluntas*, 22(2), 259-282. **Historic-Mexico**
- Stringell, T. B., Calosso[^], M. C., **Claydon, J.**, Clerveaux, W., Godley, B. J., Phillips, Q., Richardson, P., Sanghera, A., & Broderick, A. C. (2010). Loggerhead turtles in the Turks and Caicos Islands, Caribbean. *Marine Turtle Newsletter*, 127, 23-25. **CMRS**
- Were, G. M., Ohiokpehai, O., Okeyo-Owuor, J. B., Mbagaya, G., Kimiywe, J., Mbithe, D., & **Okello, M. M.** (2010). Soybean (*Glycine max*) complementation and the zinc status of HIV and AIDS affected children in Suba District, Kenya. *African Journal of Food, Agriculture, Nutrition and Development*, 10(3), 2187-2202. **Historic-Kenya**
- Dikou, A.**, Ackerman*, C., Banks*, C., Dempsey*, A., Fox*, M., Gins*, M., Hester*, P., Parnes*, A., Roach*, S., Rohde*, J., Spital*, C., Tapleshay*, M., & Thomas*, L. (2009). Ecological assessment to detect imminent change, Admiral Cockburn Land and Sea National Park, Turks and Caicos Islands. *Marine Ecology-An Evolutionary Perspective*, 30(4), 425-436. **CMRS**
- Freeman, A. N. D.**, Freeman[^], A. B., & Burchill, S. (2009). Bird use of revegetation sites along a creek connecting rainforest remnants. *Emu*, 109, 331-338. **CRS**
- Freeman[^], A., & **Freeman, A.** (2009). Habitat use in a large rainforest python (*Morelia kinghorni*) in the Wet Tropics of North Queensland, Australia. *Herpetological Conservation and Biology*, 4(2), 252-260. **CRS**
- Häger, A.**, & Dohrenbusch, A. (2009). Baumartenzusammensetzung eines tropischen Bergregenwaldes entlang eines Höhengradienten – Composition of woody plant species along an altitudinal gradient in a tropical montane cloud forest. *Forstarchiv* 80(6), 314-322. **CSDS**
- Heise-Pavlov, P. M., **Heise-Pavlov, S. R.**, & Nelson, J. E. (2009). *Sus scrofa*: Population structure, reproduction and condition in tropical North-Eastern Australia. *Acta Silv. Lign. Hung.*, 5, 179-188. **CRS**
- Hinojosa-Arango, G.**, Maggs, C., & Jonson, M. (2009). Like a rolling stone: the mobility of maerl (Corallinaceae) and the neutrality of the associated assemblages. *Ecology*, 90(2), 517-528. **Historic-Mexico**
- Molina-Murillo, S. A.**, & Smith, T. M. (2009). Exploring the use and impact LCA-based information in corporate communications. *International Journal of Life Cycle Assessment*, 14, 184-194. **CSDS**

- Okello, M. M.** (2009). Contraction of wildlife dispersal area and displacement by human activities in Kimana Group Ranch around Amboseli National Park, Kenya. *The Open Conservation Biology Journal*, 3, 49-56. **Historic-Kenya**
- Okello, M. M.**, & Grasty[^], K. (2009a). Contraction and Status of Maasai Lands as Wildlife Dispersal Areas and Implications for Wildlife Conservation in Amboseli Ecosystem, Kenya. In J. D. Harris & P. L. Brown (Eds.), *Wildlife: Destruction, Conservation and Biodiversity* (pp. 49-96). New York: Nova Science Publishers. **Historic-Kenya**
- Okello, M. M.**, & Grasty[^], K. (2009b). The role of large mammals and protected areas to tourist satisfaction in the Northern Circuit, Tanzania. *Tourism Analysis*, 14, 691-697. **CWMS-TZ**
- Okello, M. M.**, & Yerian[^], S. (2009). Tourist satisfaction in relation to attractions, and implications for conservation in the protected areas of the Northern Circuit, Tanzania. *Journal of Sustainable Tourism*, 17(5), 1747-1764. **CWMS-TZ**
- Okello, M. M.**, **Seno, S. K. O.**, & Nthiga, R. W. (2009). Reconciling people's livelihoods and environmental conservation in the rural landscapes in Kenya: opportunities and challenges in the Amboseli landscape. *Natural Resources Forum*, 33, 123-133. **Historic-Kenya**
- Richardson, P. B., Bruford, M. W., Calosso[^], M. C., Campbell, L. M., Clerveaux, W., Formia, A., Godley, B., **Henderson, A.**, McClellan[^], K., **Newman, S.**, Parsons[^], K., Pepper, M., Ranger, S., Silver, J., Slade, L., & Broderick, A. C. (2009). Marine turtles in the Turks and Caicos Islands: remnant rookeries, regionally significant foraging stocks, and a major turtle fishery. *Chelonian Conservation and Biology*, 8(2), 192-207. **CMRS**
- Sylvester, O., & **Avalos, G.** (2009). Cultural dynamics and associations of palm heart wild illegal extraction from *Geonoma edulis* in Montane zones of Costa Rica's national parks. *Economic Botany*, 63(2), 179-189. **CSDS**
- Sylvester, O., & **Avalos, G.** (2009). Illegal Palm Heart (*Geonoma edulis*) Harvest in Costa Rican National Parks: Patterns of Consumption and Extraction. *Economic Botany*, 63(2), 179-189. **CSDS**
- Aguirre, J. A.** (2008). Midiendo el impacto económico del gasto turístico de los visitantes a los parques nacionales de Costa Rica. *PASOS. Revista de Turismo y Patrimonio Cultural*, 6(1), 11-26. **CSDS**
- Chaves, O. M., & **Avalos, G.** (2008). Do seasonal changes in light availability influence the inverse leafing phenology of the neotropical dry forest understory shrub *Bonellia nervosa*? *Revista de Biología Tropical*, 56(1), 257-268. **CSDS**
- Curran, T. J.**, Brown^{*}, R. J., Edwards^{*}, E., Hopkins^{*}, K., Kelley^{*}, C., McCarthy^{*}, E., Pounds^{*}, E., Solan^{*}, R., & Wolf^{*}, J. (2008). Plant functional traits explain interspecific differences in immediate cyclone damage to trees of an endangered rainforest community in north Queensland. *Austral Ecology*, 33, 451-461. **CRS**
- Curran, T. J.**, Clarke, P. J., & Bruhl, J. J. (2008). A broad typology of dry rainforests on the western slopes of New South Wales. *Cunninghamia*, 10(3), 381-405. **CRS**
- Curran, T. J.**, Gersbach^{*}, L., Edwards^{*}, W., & Krockenberger^{*}, A. (2008). Wood density predicts plant damage and vegetative recovery rates caused by cyclone disturbance in tropical rainforest tree species in North Queensland, Australia. *Austral Ecology*, 33, 442-450. **CRS**
- Florentine, S. K.** (2008). Species persistence and natural recruitment after 14 years in a restoration planting on ex-rainforest land in north-east Queensland. *Ecological Management & Restoration*, 9(3), 217-221. **CRS**
- Freeman, A. N. D.**, & Vinson[^], M. F. (2008). The effect of Tropical Cyclone Larry on tooth-billed bowerbird *Scenopoetes Dentirostris* court attendance and decoration. *Austral Ecology*, 33, 570-572. **CRS**
- Freeman, A. N. D.**, Pias^{*}, K., & Vinson[^], M. F. (2008). The impact of Tropical Cyclone Larry on bird communities in fragments of the endangered rainforest Type b. *Austral Ecology*, 33, 532-540. **CRS**

- Heise-Pavlov, S.,** Hueppe, J., & Pott, R. (2008). Revisiting factors affecting deciduousness in tropical rainforest at a study site in coastal lowland rainforest in NE Australia. *Phytocoenologia*, 38(3), 213-219. **CRS**
- Hunt, C.** (2008). Economy and ecology of emerging markets and credits for bio-sequestered carbon on private land in tropical Australia. *Ecological Economics*, 66(2-3), 309-318. **CRS**
- Laurance, W. F., & Curran, T. J.** (2008). Impacts of wind disturbance on fragmented tropical rainforest: A review and synthesis. *Austral Ecology*, 33, 390-408. **CRS**
- Okello, M. M., & D'Amour[^], D. E.** (2008). Agricultural expansion within Kimana electric fences and implications for natural resource conservation around Amboseli National Park, Kenya. *Journal of Arid Environments*, 72(12), 2179–2192. **Historic-Kenya**
- Okello, M. M., D'Amour[^], D. E., & Manka^{*}, S. G.** (2008). Tourism attractions and satisfaction of Amboseli National Park, Kenya, and the implications for marketing and management. *Tourism Analysis*, 13(4), 373-386. **Historic-Kenya**
- Okello, M. M., Manka^{*}, S. G., & D'Amour[^], D. E.** (2008). The relative importance of large mammal species for tourism in Amboseli National Park, Kenya. *Tourism Management*, 29(4), 751-760. **Historic-Kenya**
- Schneller, A. J.** (2008). Environmental service learning: outcomes of innovative pedagogy in Baja California Sur, Mexico. *Environmental Education Research*, 14(3), 291-307. **Historic-Mexico**
- Vo, A., **Dikou, A., & Newman, S. P.** (2008). Biological, socioeconomic, and political aspects of the Nassau Grouper (*Epinephelus striatus*) fishery in the Turks and Caicos Islands. *The Harvard Undergraduate Research Journal*, 1(1), 80-87. **CMRS**
- Wilson, D. T., & Mills, C.** (2008). Maximizing the benefits of an in-country foreign tertiary education provider: The School for Field Studies, the Turks and Caicos Islands. In S. Marshall, E. Brandon, M. Thomas, A. Kanwar & T. Lyngra (Eds.), *Perspectives on Distance Education: Foreign Providers in the Caribbean: Pillagers or Preceptors* (pp. 123-134). Vancouver, BC: Commonwealth of Learning. **CMRS**
- Wilson, D. T.,** Vaughan, D., **Wilson, S. K.,** Simona, C. N., & Lockhart, K. (2008). Efficacy of a starch-iodide swab technique to detect the illegal use of bleach in a Spiny Lobster (*Panulirus argus*) fishery. *Fisheries Research*, 90(1-3), 86-91. **CMRS**
- Aguirre, J. A.** (2007). Asignación de recursos, satisfacción del visitante, administración y manejo de parques nacionales en Costa Rica, Honduras y Nicaragua. *PASOS. Revista de Turismo y Patrimonio Cultural*, 5(3), 353-370. **CSDS**
- Alvarez, S., & **Avalos, G.** (2007). Light interception efficiency of the understory palm *Calyptrogyne ghiesbreghtiana* under deep shade conditions. *Ecotropica*, 13, 1-8. **CSDS**
- Avalos, G.** (2007). Book comment: M. Kapelle and SP Horn (Eds). 2005. Páramos de Costa Rica. *Revista de Biología Tropical*, 55(2), 743-744. **CSDS**
- Avalos, G.** (2007). Changes in size preference of illegally extracted heart of palm from *Euterpe precatoria* (Arecaceae) in Braulio Carrillo National Park, Costa Rica. *Economic Botany*, 61(1), 96-98. **CSDS**
- Avalos, G.,** Mulkey, S. S., Kitajima, K., & Wright, S. J. (2007). Colonization strategies of two liana species in a tropical dry forest canopy. *Biotropica*, 39(3), 393-399. **CSDS**
- Freeman[^], A., & **Freeman, A.** (2007). Giants in the rainforest: a radio telemetry study of the amethystine python in North Queensland, Australia. *Iguana*, 14(4), 215-221. **CRS**
- Kiringe, J. W., Okello, M. M., & Ekajul, S. W.** (2007). Managers' perceptions of threats to the protected areas of Kenya: prioritization for effective management. *Oryx*, 41(3), 1-8. **Historic-Kenya**
- Koch, V.,** Brooks, L. B., & Nichols, W. J. (2007). Population ecology of the green/black turtle (*Chelonia mydas*) in Bahia Magdalena, Mexico. *Marine Biology*, 153(1), 35-46. **Historic-Mexico**
- Okello, M. M., & Tome, S.** (2007). The Chyulu Hills: Raison d'Etre and consequences of contested proprietorship of an idyllic resource oasis. In B. Wishitemi, A. Spenceley & H. Wells (Eds.),

- Culture and community: Tourism studies in Eastern and Southern Africa* (pp. 123-138). Amsterdam: Rozenberg Publishers. **Historic-Kenya**
- Aguirre, J. A.** (2006a). Estado de las relaciones del Parque Nacional Monumento Arqueológico Guayabo con las comunidades de Santa Cruz de Turrialba y Guayabo, Costa Rica. *PASOS. Revista de Turismo y Patrimonio Cultural*, 4(1), 69-83. **CSDS**
- Aguirre, J. A.** (2006b). Linking national parks with its gateway communities for tourism development in Central America: Nindiri, Nicaragua, Bagazit, Costa Rica and Portobelo, Panama. *PASOS. Revista de Turismo y Patrimonio Cultural*, 4(3), 351-371. **CSDS**
- Aguirre, J. A.** (2006c). Resource allocation, visitors' satisfaction, and management of national parks in Costa Rica, Honduras, and Nicaragua. *Interamerican Journal of Environment and Tourism*, 2(2), 16-31. **CSDS**
- Arévalo, J. E.** (2006). Reseña de libros: M. Kapelle and SP Horn (eds). 2005. Páramos de Costa Rica. *Brenesia*, 65, 85-86. **CSDS**
- Avalos, G.,** Hoell[^], K., Gardner^{*}, J., Anderson^{*}, S., & Lee^{*}, C. (2006). Impact of the invasive plant *Syzigium jambos* (Myrtaceae, Rose Apple) on patterns of understory seedling abundance in a Tropical Premontane Forest, Costa Rica. *Revista de Biología Tropical*, 54(2), 415-421. **CSDS**
- Chaves, O. M., & **Avalos, G.** (2006). Is the inverse leafing phenology of the dry forest understory shrub *Jacquinia nervosa* (Theophrastaceae) a strategy to escape herbivory? *Revista de Biología Tropical*, 54(3), 951-963. **CSDS**
- Cummings, J.** (2006). Evaluating vascular epiphyte abundance and distribution patterns in critically endangered rainforest. *Australasian Plant Conservation*, 14, 14-16. **CRS**
- Cummings, J.,** Martin, M., & Rogers, A. (2006). Quantifying the abundance of four large epiphytic fern species in remnant complex notophyll vine forest on the Atherton Tableland, North Queensland, Australia. *Cunninghamia*, 9, 521-527. **CRS**
- Freeman, A. N. D.,** & Seabrook[^], L. S. (2006). Increase in riparian vegetation along Peterson Creek, North Queensland. *Ecological Management & Restoration*, 7, 63-65. **CRS**
- Guerrero-Ruiz, M., **Pérez-Cortés, H.,** Salinas-Zacarias, M., & Urbán, J. (2006). First mass stranding of killer whales (*Orcinus orca*) in the Gulf of California, Mexico. *Aquatic Mammals*, 36(3), 265-272. **Historic-Mexico**
- Hedstrom, I.,** Harris^{*}, J., & Fergus^{*}, K. (2006). Euglossine bees as potential bio-indicators of coffee farms: Does forest access, on a seasonal basis, affect abundance? *Revista de Biología Tropical*, 54(4), 1189-1195. **CSDS**
- Kioko, J. M.,** Kiringe, J. W., & Omondi, P. (2006). Human-elephant conflict outlook in the Tsavo-Amboseli Ecosystem. *Pachyderm*, 41, 53-60. **Historic-Kenya**
- Kioko, J. M.,** Okello, M. M., & Muruthi, P. (2006). Elephant (*Loxodonta africana africana*, Blumenbach) numbers and distribution in the Tsavo-Amboseli Ecosystem, South Western Kenya. *Pachyderm*, 40, 61-68. **Historic-Kenya**
- Kiringe, J. W.** (2006). A survey of traditional health remedies used by the Maasai of Southern Kajiado District, Kenya. *Ethnobotany Research and Applications*, 4, 57-69. **Historic-Kenya**
- Koch, V.,** Nichols, W. J., Peckham, H., & de la Toba, V. (2006). Estimates of sea turtle mortality from poaching and bycatch in Bahía Magdalena, Baja California Sur, México. *Biological Conservation*, 128(3), 327-334. **Historic-Mexico**
- Schweers, T., Wolff, M., & **Koch, V.** (2006). Population dynamics of *Megapitaria squalida* (Bivalvia: Veneridae) at Magdalena Bay, Baja California Sur, Mexico. *Revista de Biología Tropical*, 54(3), 1003-1017. **Historic-Mexico**
- Taylor, M. H., **Koch, V.,** Wolff, M., & Sínsel, F. (2006). Evaluation of different shallow water culture methods for the scallop *Nodipecten subnodosus* using biologic and economic modeling. *Aquaculture*, 254(1-4), 301-316. **Historic-Mexico**

- Vinson[^], M. F., & **Freeman, A. N. D.** (2006). Tooth-billed bowerbirds established in a lek in *Acacia* regrowth forest. *Sunbird*, 36(2), 54-59. **CRS**
- Wato, Y. A., Wahungu, G. M., & **Okello, M. M.** (2006). Correlates of wildlife snaring patterns in Tsavo West National Park, Kenya. *Biological Conservation*, 132(4), 500-509. **Historic-Kenya**
- Waugh, S. M., Doherty, P. F., **Freeman, A. N. D.**, Adams, L., Woods, G. C., Bartle, J. A., & Hedley, G. K. (2006). Demography of Westland Petrels (*Procellaria westlandica*), 1995-2003. *Emu*, 106, 219-226. **CRS**
- Wilson, S. K., Wilson, D. T.**, Lamont[^], C., & Evans, M. (2006). Identifying individual Great Barracuda, *Sphyraena barracuda*, using natural body marks. *Journal of Fish Biology*, 69, 928-932. **CMRS**
- Avalos, G.** (2005). Banded-tailed Pigeon (*Columba fasciata*) at low elevations in Braulio Carrillo National Park, Costa Rica. *Ornitologia Neotropical*, 16, 1-2. **CSDS**
- Avalos, G.**, Salazar, D., & Araya, A. L. (2005). Stilt root structure in the Neotropical palms *Iriartea deltoidea* and *Socratea exorrhiza*. *Biotropica*, 37(1), 44-53. **CSDS**
- Cummings, J.** (2005). Coffee bush, cane toads, and romance on Russell Island. *Mission Beach Bulletin*, 116. **CRS**
- Cummings, J.**, Reid, N., Davies, I., & Grant, C. (2005). Adaptive restoration of sand mined areas for biological conservation. *Journal of Applied Ecology*, 42, 160-170. **CRS**
- Farrell, T. A., & **Ollervides, F.** (2005). The School for Field Studies Center for Coastal Studies: a case study of sustainable education in Mexico. *International Journal of Sustainability in Higher Education*, 6(2), 122-133. **Historic-Mexico**
- Fisher, R., Leis, J. M., Clark, D. L., & **Wilson, S. K.** (2005). Critical swimming speeds of late-stage coral reef fish larvae: variation within species, among species and between locations. *Marine Biology*, 147, 1201-1212. **CMRS**
- Freeman, A.**, & Breckheimer, I. K. (2005). Court Martial: Habitat Flexibility and Implications for Species Survival under Conditions of Global Climate Change for the Tooth-billed Bowerbird (*Scenopoeetes dentirostris*). *Annual Meeting of the Collegiate Academy of the North Carolina Academy of Science (CANCAS)*. **CRS**
- Garnett, S. T., Clarkson, J. R., Felton, A., Harrington, G. N., & **Freeman, A. N. D.** (2005). Habitat and diet of the star finch (*Neochmia ruficauda clarescens*) in the early wet season at Princess Charlott Bay, Cape York Peninsula, Australia. *Emu*, 105, 81-85. **CRS**
- Jones, B. T. B., **Okello, M. M.**, & Wishitemi, B. E. L. (2005). Pastoralists, conservation and livelihoods in East and Southern Africa: Reconciling continuity and change through the protected landscape approach. In J. Brown, N. Mitchell & M. Beresford (Eds.), *The Protected Landscape Approach: Linking Nature, Culture, and Community* (pp. 107-118): IUCN and UK Countryside Agency. **Historic-Kenya**
- Kiringe, J. W.** (2005). Ecological and anthropological threats to ethno-medicinal plant resources and their utilization in Maasai communal ranches in the Amboseli region of Kenya. *Ethnobotany Research and Applications*, 3, 231-241. **Historic-Kenya**
- Kiringe, J. W.**, & **Okello, M. M.** (2005). Use and availability of tree and shrub resources on Maasai communal rangelands near Amboseli, Kenya. *African Journal of Range and Forage Science*, 22(1), 37-46. **Historic-Kenya**
- Koch, V.**, Suastegui, M., Sinsel, J. M., Robles, M., & Dunn*, D. (2005). Lion's paw scallop (*Nodipecten subnodosus*, Sowerby 1835) aquaculture in Bahia Magdalena, Mexico: effects of population density and season on juvenile growth and mortality. *Aquaculture Research*, 36, 505-512. **Historic-Mexico**
- Okello, M. M.** (2005a). An assessment of the large mammal component of the proposed wildlife sanctuary site in Maasai Kuku Group Ranch near Amboseli, Kenya. *South African Journal of Wildlife Research*, 35(1), 63-76. **Historic-Kenya**

- Okello, M. M.** (2005b). Land use changes and human-wildlife conflicts in the Amboseli Area, Kenya. *Human Dimensions of Wildlife*, 10(1), 19-28. **Historic-Kenya**
- Okello, M. M.** (2005c). A survey of tourist expectations and economic potential for a proposed wildlife sanctuary in a Maasai group ranch near Amboseli, Kenya. *Journal of Sustainable Tourism*, 13(6), 566-589. **Historic-Kenya**
- Okello, M. M.**, Wishitemi, B. E. L., & Lagat, B. (2005). Tourism potential and achievement of protected areas in Kenya: Criteria and prioritization. *Tourism Analysis*, 10(2), 151-164. **Historic-Kenya**
- Wilson, D. T.** (2005). Illegal fishing practices are steadily destroying the Turks and Caicos Islands (TCI) spiny lobster fishery. *Free Press*. **CMRS**
- Wilson, S. K.**, Street[^], S., & Sato, T. (2005). Discarded queen conch (*Strombas gigas*) shells as shelter sites by fish. *Marine Biology*, 147(1), 177-188. **CMRS**
- Avalos, G.** (2004). Production of a second set of stilt roots in arborescent palms: A solution to the puzzle. *Palms*, 48(2), 83-85. **CSDS**
- Avalos, G.**, & Mulkey, S. S. (2004). Photochemical efficiency of adult and young leaves of the neotropical understory shrub *Psychotria limonensis* (Rubiaceae) in response to changes in the light environment. *Revista de Biología Tropical*, 52(4), 839-844. **CSDS**
- Fisher, R., & **Wilson, S. K.** (2004). Maximum sustainable swimming speeds of nine species of late stage larval reef fishes. *Journal of Experimental Marine Biology and Ecology*, 312, 171-186. **CMRS**
- Florentine, S. K.**, & Westbrooke, M. E. (2004a). Evaluation of alternative approaches to rainforest restoration on abandoned pasturelands in tropical North Queensland, Australia. *Land Degradation and Development*, 15, 1-13. **CRS**
- Florentine, S. K.**, & Westbrooke, M. E. (2004b). Restoration on abandoned tropical pasturelands-do we know enough? *Journal for Nature Conservation*, 12, 85-94. **CRS**
- Freeman, A. N. D.** (2004). Constraints to community groups monitoring plants and animals in rainforest revegetation sites on the Atherton Tablelands of far north Queensland. *Ecological Management and Restoration*, 5, 199-204. **CRS**
- Okello, M. M.**, & **Kiringe, J. W.** (2004). Threats to biodiversity and their implications in protected and adjacent dispersal areas of Kenya. *Journal of Sustainable Tourism*, 12(1), 55-69. **Historic-Kenya**
- Rasiah, V., **Florentine, S. K.**, Williams, B. L., & Westbrooke, M. E. (2004). The impact of deforestation and pasture abandonment on soil properties in the wet tropics of Australia. *Geoderma*, 120, 35-45. **CRS**
- Wilson, S. K.** (2004). Growth, mortality and turnover rates of a small detritivorous fish. *Marine Ecology Progress Series*, 284, 253-259. **CMRS**
- Aguirre, J. A.** (2003). Volcan Arenal National Park and the community of El Castillo: The need for improving the links between parks and people in Costa Rica. *European Tropical Forest Research Network News, Autumn-Winter*, (39-40), 87-89. **CSDS**
- Béné, C.**, & **Tewfik, A.** (2003). Biological evaluation of marine protected area: Evidence of crowding effect on a protected population of Queen conch in the Caribbean. *Marine Ecology*, 24(1), 45-58. **CMRS**
- Danylchuk, A. J.**, & Tonn, W. M. (2003). Natural disturbances and fish: local and regional influences on winterkill of fathead minnows in boreal lakes. *Transactions of the American Fisheries Society*, 132(2), 289-298. **CMRS**
- Florentine, S. K.**, & Westbrooke, M. E. (2003). Allelopathic potential of the newly emerging weed *Solanum mauritianum* Scop. (Solanaceae) in the wet tropics of north-east Queensland. *Plant Protection Quarterly*, 18(1), 23-25. **CRS**
- Florentine, S. K.**, Craig, M., & Westbrooke, M. E. (2003). Flowering, fruiting, germination and seed dispersal of the newly emerging weed *Solanum mauritianum* Scop. (Solanaceae) in the wet tropics of north Queensland. *Plant Protection Quarterly*, 18(3), 116-120. **CRS**

- Freeman, A. N. D.** (2003). The distribution of Beach Stone-curlews and their response to disturbance on far north Queensland's Wet Tropical Coast. *Emu*, 103, 369-372. **CRS**
- Hedstrom, I., & Sahlén, G.** (2003). An extended description of the larva of *Megaloprepus caerulatus* from Costa Rica. *International Journal of Odonatology*, 6(1), 1-9. **CSDS**
- Okello, M. M., Seno, S. K., & Wishitemi, B. L.** (2003). Maasai community wildlife sanctuaries in Tsavo-Amboseli ecosystem, Kenya: Management partnerships and their conditions for success. *Parks*, 13(1), 7-15. **Historic-Kenya**
- Tewfik, A., & Béné, C.** (2003). Effects of natural barriers on the spillover of a marine mollusk: implications for fisheries reserves. *Aquatic Conservation - Marine and Freshwater Ecosystems*, 13(5), 473-488. **CMRS**
- Wishitemi, B. E. L., & **Okello, M. M.** (2003). Application of the protected landscape model in southern Kenya. *Parks*, 13(2), 21-29. **Historic-Kenya**
- Boxall*, G. A., Sandberg*, J. J., & **Kroon, F. J.** (2002). Population structure, movement and habitat preferences of the purple-spotted gudgeon, *Mogurnda adspersa*. *Marine and Freshwater Research*, 53, 909-917. **CRS**
- Mworia, J. K., Kinyamario, J. K., & **Kiringe, J. W.** (2002). Tree layer dynamics under different land uses and soils in semi-arid areas of Kenya. *Multi-disciplinary Journal of the African Academy of Sciences, Discovery and Innovation, Special Edition*, 68-75. **Historic-Kenya**
- Okello, M. M., Wishitemi, B. E. L., & Muhoro, F.** (2002). Forage intake rates and foraging efficiency of free ranging zebra and impala. *South African Journal of Wildlife Research*, 32(2), 93-100. **Historic-Kenya**
- Seno, S. K., & Shaw, W. W.** (2002). Land Tenure policies, Maasai traditions and wildlife conservation in Kenya. *Society and Natural Resources*, 15(1), 79-88. **Historic-Kenya**
- Tupper, M. H., & Rudd, M. A.** (2002a). The impact of Nassau grouper size and abundance on SCUBA diver site selection and MPA economics. *Coastal Management*, 130, 133-151. **CMRS**
- Tupper, M. H., & Rudd, M. A.** (2002b). Species-specific impacts of a small marine reserve on reef fish production and fishing productivity in the Turks and Caicos Islands. *Environmental Conservation*, 29(4), 484-492. **CMRS**
- Béné, C., & Tewfik, A.** (2001). Fishing effort allocation and fishermen's decision making process in a multi-species small-scale fishery: Analysis of the conch and lobster fishery in the Turks and Caicos Islands. *Human Ecology*, 29(2), 157-186. **CMRS**
- Okello, M. M., Wishitemi, B. E., & Mwinzi, A. M.** (2001). Relative importance of conservation areas in Kenya based on diverse tourist attractions. *Journal of Tourism Studies*, 12(1), 39-49. **Historic-Kenya**
- Rudd, M. A.** (2001). The non-extractive economic value of spiny lobster, *Panulirus argus*, in the Turks and Caicos Islands. *Environmental Conservation*, 28(3), 226-234. **CMRS**
- Sandland, G. J., **Danylchuk, A. J.**, Tonn, W. M., & Goater, C. P. (2001). Parasite communities in forage fish from lakes in north-central Alberta with emphasis on population dynamics of *Ornithodiplostomum ptycloclielus*. *Journal of Parasitology*, 87, 744-748. **CMRS**
- Tattersfield, P., Warui, C. M., Seddon, M. B., & **Kiringe, J. W.** (2001). Land-snail faunas of Afromontane forests of Mount Kenya, Kenya: Ecology, diversity and distribution patterns. *Journal of Biogeography*, 28, 843-851. **Historic-Kenya**
- Tonn, W. M., Langlois, P. W., Prepas, E. E., & **Danylchuk, A. J.** (2001). Winterkill cascade: response of littoral macroinvertebrates to natural disturbance of fish assemblages in boreal lakes. *Journal of the North American Benthological Society*. **CMRS**
- García Martínez, S., & Hayashi, M.** (2000). Division of the oceans and ecosystem management: A contrastive spatial evolution of marine fisheries governance. *Ocean and Coastal Management*, 43(6), 445-474. **Historic-Mexico**

- King*, J. R., Andersen, A. N., & Cutter*, A. D. (1998). Ants as bioindicators of habitat disturbance: validation of the functional group model for Australia's humid tropics. *Biodiversity and Conservation*, 7, 1627-1638. **CRS**
- Harcourt, R., Auriolos, D., & Sanchez, J. (1994). Entanglement of California Sea Lions at Los Islotes, Baja California Sur, Mexico. *Marine Mammal Science*, 10(1), 122-125. **Historic-Mexico**
- Cooper, S. M., & Palmer^, T. (1994). Observations on the dietary choice of free-ranging juvenile Ostriches. *Ostrich*, 65(3&4), 251-255. **Historic-Kenya**
- Carroll, S. P., & Moore*, L. (1993). Hummingbirds take their vitamins. *Animal Behaviour*, 46(4), 817-820. **CSDS**
- Laurance, W. F., Garesche*, J., & Payne*, C. W. (1993). Avian nest predation in modified natural habitats in Tropical Queensland: and experimental study. *Wildlife Research*, 20, 711-723. **CRS**
- Young, T. P., & Isabell, L. A. (1991). Sex Differences in Giraffe Feeding Ecology: Energetic and Social Constraints. *Ethology*, 87, 79-89. **Historic-Kenya**
- Milewski, A. V., Young, T. P., & Madden*, D. (1991). Thorns as induced defenses: experimental evidence. *Oecologia*, 86, 70-75. **Historic-Kenya**
- Edmunds, P. J., Roberts, D. A., & Singer, R. (1990). Reefs of the northeastern Caribbean I. Scleractinian populations. *Bulletin of Marine Science*, 46(3), 780-789. **Historic-Virgin Islands**
- Fetcher, N., & Shaver, G. R. (1990). Environmental sensitivity of ecotypes as a potential influence on primary productivity. *American Naturalist*, 136(1), 126-131. **Historic-Alaska**
- Putz, F. E. (1990). Growth Habits and Trellis Requirements of Climbing Palms (*Calamus* spp.) in North-eastern Queensland. *Australian Journal of Botany*, 38(6), 603-608. **CRS**
- Chapin III, F. S., Fetcher, N., Kielland, K., Everett, K. R., & Linkins, A. E. (1988). Productivity and nutrient cycling of Alaskan tundra: Enhancement by flowing soil water. *Ecology*, 69(3), 693-702. **Historic-Alaska**
- Adams, A. B., & Dale, V. H. (1987). Vegetative succession following glacial and volcanic disturbances in the Cascade mountain range of Washington, USA. In D. E. Bilderback (Ed.), *Mount Saint Helens 1980 Botanical Consequences of the Explosive Eruptions* (pp. 70-147). Los Angeles: University of California Press. **Historic-Mount St. Helens**
- Calambokidis, J., Taylor, B. L., Carter, S. D., Steiger*, G. H., Dawson, P. K., & Antrim, L. D. (1987). Distribution and haul-out behavior of harbor seals in Glacier Bay, Alaska. *Canadian Journal of Zoology*, 65, 1391-1396. **Historic-Alaska**
- Adams, A. B., & Leffler, S. R. (1986). Insect recolonization of northwest sector of the Mount St. Helens blast. In S. A. Keller (Ed.), *Mount Saint Helens Five Years Later* (pp. 307-324): Eastern Washington Univ Press. **Historic-Mount St. Helens**
- Adams, A. B., Hinckley, K. E., Hinzman, C., & Lefler, S. R. (1986). Recovery of small mammals in northwest sector of Mount St. Helens National Volcanic Monument. In S. A. Keller (Ed.), *Mount Saint Helens Five Years Later* (pp. 345-348): Eastern Washington Univ Press. **Historic-Mount St. Helens**
- Adams, A. B., Wallace, J. R., Jones, J. T., & Mackelroy, W. K. (1986). Plant ecosystem resilience following 1980 eruptions: Mt. St. Helens, Washington. In S. A. Keller (Ed.), *Mount Saint Helens Five Years Later* (pp. 182-207): Eastern Washington Univ Press. **Historic-Mount St. Helens**
- Clarke, M. R., Zucker, E. L., & Jr., N. J. S. (1986). Population trends of the mantled howler groups of La Pacifica, Guanacaste, Costa Rica. *American Journal of Primatology*, 11(1), 79-88. **Historic-Costa Rica, Historic-Panama**
- Stelfox, J. B. (1986). Effects of livestock enclosures (bomas) on the vegetation of the Athi Plains, Kenya. *African Journal of Ecology*, 24(1), 41-45. **Historic-Kenya**
- Stelfox, J. B., & Hudson, R. J. (1986). Body condition of male Thomson's and Grant's gazelles in relation to season and resource use. *African Journal of Ecology*, 24(2), 111-120. **Historic-Kenya**

- Calambokidis, J., & Steiger***, G. H. (1985). Bald Eagle (*Haliaeetus leucocephalus*) Consumption of Harbor Seal (*Phoca vitulina*) Placenta in Glacier Bay, Alaska. *Raptor Research*, 19(2), 145. **Historic-Alaska**
- Stelfox, J. B.**, Hudson, R. J., & Groer, N. (1985). Relationships among physical traits, age and social status in Thomson's and Grant's gazelles. *Applied Animal Behaviour Science*, 13(4), 347-357. **Historic-Kenya**
- Fetcher, N.**, Beatty*, T. F., Mullinax*, B., & Winkler*, D. S. (1984). Changes in Arctic tussock tundra thirteen years after fire. *Ecology*, 65(4), 1332-1333. **Historic-Alaska**
- Husband, T. P., & Davis, P. B.** (1984). Ecology and behavior of the Cretan Agrimi. *Canadian Journal of Zoology*, 62, 411-420. **Historic-Greek Islands**
- Simonetti, J. A.**, Poiani, A., & Raedeke, K. J. (1984). Food habits of the *Dusycion griseus* in northern Chile. *Journal of Mammalogy*, 65(3), 515-517. **Historic-Chile**



The School for Field Studies

100 Cummings Center, Suite 534-G
Beverly, MA 01915-6239 USA

www.fieldstudies.org | 800.989.4418

sfs@fieldstudies.org